

# PREMIER

THE ORIGINAL SOURCE / THE ORIGINAL DESIGN

Skid Steer Loader  
Trencher Attachments

Product Specifications



[www.premierauger.com](http://www.premierauger.com)

## PREMIER POWER

### High Performance Trenching

- Premier Trencher attachments are designed to utilize the power of the host machine most efficiently, turning it into a high performance trenching machine.

## PREMIER VERSATILITY

### Wide Range of Options Available

- Premier Trencher Attachments offer a wide range of torque and speed combinations as well as teeth and chain options, sure to meet your needs.

## PREMIER SERVICE

### Best Lead Times in the Industry

- No matter how unique your trenching application may be, we're here to provide the solution when you need it.

## PREMIER WARRANTY

### We Stand Behind Our Quality Statement

- Premier Auger takes great pride in the quality and reliability of our products. To reassure you that you are buying the best, we offer the best warranties in the industry and stand behind each quality statement.



ALL PREMIER TRENCHER ATTACHMENTS SHIP COMPLETELY ASSEMBLED AND WORK-READY

HEAVY DUTY PLANETARY DRIVE SYSTEM ELIMINATES CHAIN REDUCTION

EXCEPTIONAL VISIBILITY AND STRUCTURAL STRENGTH


HEAVY-DUTY CRUMBER SHOE ACCESSORY FOR LOOSE SOIL REMOVAL

REPLACEABLE SPOIL AUGER MOUNDS MOST SPOIL TO ONE SIDE OF TRENCH


MANUAL SIDE-SHIFT FOR TRENCHING CLOSER TO STRUCTURES

A BUILT-IN SKID SHOE PROVIDES PROPER AUGER DEPTH CONTROL

2-YEAR MOTOR AND PLANETARY / 1-YEAR FRAME WARRANTY



## WIDTH AND DEPTH CAPABILITIES



# PREMIER T150

For machines equipped with 15 to 20 gpm (57 - 76 lpm)  
2000 - 3000 psi (141 - 211 kg/cm<sup>2</sup>)

Includes Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain, and Teeth.  
Quick-disconnect and Hoses are optional and listed separately.

PART #	DESCRIPTION
T150-3DS-6W	T150 Trencher, 3' Boom, 6" Double Standard Chain
T150-3DS-8W	T150 Trencher, 3' Boom, 8" Double Standard Chain
T150-3DS-10W	T150 Trencher, 3' Boom, 10" Double Standard Chain
T150-3DS-12W	T150 Trencher, 3' Boom, 12" Double Standard Chain
T150-3ST55-6W	T150 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain
T150-3BT55-6W	T150 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain
T150-4DS-6W	T150 Trencher, 4' Boom, 6" Double Standard Chain
T150-4DS-8W	T150 Trencher, 4' Boom, 8" Double Standard Chain
T150-4ST55-6W	T150 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain
T150-4BT55-6W	T150 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain
61050	Hydraulic Hoses 108" Long
61006	Female Flat Faced Coupler
61007	Male Flat Faced Coupler

## OUTPUT SPEED

FLOW GPM	SPEED RPM
13	83
15	96
17	108
19	121
21	134

## OUTPUT TORQUE

PRESSURE PSI	TORQUE FT-LB
2000	955
2500	1194
3000	1433

# PREMIER T250

For machines equipped with 20 to 30 gpm (76 - 114 lpm)  
2000 - 3000 psi (141 - 211 kg/cm<sup>2</sup>)

Includes Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain, and Teeth.  
Quick-disconnect and Hoses are optional and listed separately.

PART #	DESCRIPTION
T250-3DS-6W	T250 Trencher, 3' Boom, 6" Double Standard Chain
T250-3DS-8W	T250 Trencher, 3' Boom, 8" Double Standard Chain
T250-3DS-10W	T250 Trencher, 3' Boom, 10" Double Standard Chain
T250-3DS-12W	T250 Trencher, 3' Boom, 12" Double Standard Chain
T250-3ST55-6W	T250 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain
T250-3BT55-6W	T250 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain
T250-4DS-6W	T250 Trencher, 4' Boom, 6" Double Standard Chain
T250-4DS-8W	T250 Trencher, 4' Boom, 8" Double Standard Chain
T250-4ST55-6W	T250 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain
T250-4BT55-6W	T250 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain
61050	Hydraulic Hoses 108" Long
61006	Female Flat Faced Coupler
61007	Male Flat Faced Coupler

## OUTPUT SPEED

FLOW GPM	SPEED RPM
19	79
21	87
23	95
25	104
27	112
29	120

## OUTPUT TORQUE

PRESSURE PSI	TORQUE FT-LB
2000	1482
2500	1853
3000	2224

**CALL YOUR PREMIER DEALER FOR PRICING AND REPLACEMENT PARTS.**



1631 East Pontiac Street

Fort Wayne, IN 46803

Toll Free: 1-866-458-0008

Phone: 260-456-8518

Fax: 260-456-6868

E-mail: [greg@premierauger.com](mailto:greg@premierauger.com)

[www.premierauger.com](http://www.premierauger.com)